[] Nivesbar	1 114			1
L Number	Hits 54	Search Text	DB	Time stamp
['	54	(object adj oriented) same (classID or (class adj (ID or identifier or identification)))	USPAT;	2004/02/13 06:36
		identifier of identification)))	US-PGPUB; EPO; JPO;	
			DERWENT;	
	•		IBM_TDB	
2	279	(object adj oriented) same (config\$8 adj (information or data or	USPAT;	2004/02/13 06:39
	_,,	manag\$6))	US-PGPUB;	2004/02/10 00:55
			EPO; JPO;	
			DERWENT:	
		*	IBM_TDB	
3	0	((object adj oriented) same (classID or (class adj (ID or	USPAT;	2004/02/13 06:36
1		identifier or identification)))) and ((object adj oriented) same	US-PGPUB;	
		(config\$8 adj (information or data or manag\$6)))	EPO; JPO;	
			DERWENT;	
4	35	((abis at adi asis atad) assas (assatis 00 adi (information and ata	IBM_TDB	0004/00/40 00 00
"	35	((object adj oriented) same (config\$8 adj (information or data or manag\$6))) and (classID or (class adj (ID or identifier or	USPAT;	2004/02/13 06:39
		identification)))	US-PGPUB; EPO; JPO;	
		identification///	DERWENT;	
1			IBM_TDB	
5	2963	(object adj oriented) and (config\$8 adj (information or data or	USPAT:	2004/02/13 06:53
		manag\$6))	US-PGPUB;	
1		- "	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
6	159	((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:54
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
		identification)))	EPO; JPO;	
			DERWENT;	
7	. 8	(((object adj oriented) and (config\$8 adj (information or data or	IBM_TDB USPAT;	2004/02/42 06:48
'	J	manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	2004/02/13 06:48
		identification)))) and 707/103\$.ccls.	EPO; JPO;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT;	
			IBM_TDB	
8	7	((((object adj oriented) and (config\$8 adj (information or data	USPAT;	2004/02/13 06:44
		or manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
		identification)))) and 707/103\$.ccls.) and key	EPO; JPO;	
			DERWENT;	
9	130	(((abject adjusted) and (confiaff) adj (information and data as	IBM_TDB	
"	130	(((object adj oriented) and (config\$8 adj (information or data or manag\$6))) and (classID or (class adj (ID or identifier or	USPAT;	2004/02/13 07:01
		identification)))) and (key or (key adj value) or (key\$8 adj2	US-PGPUB; EPO; JPO;	
		pair))	DERWENT;	
			IBM TDB	
10	76	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:54
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
		identification)))) and ((key adj value) or (key\$8 adj2 pair))	EPO; JPO;	
}			DERWENT;	
11	15	((((chicat adi arientad) and (confine) = 4) (infine)	IBM_TDB	0004/00//
' '	ı	((((object adj oriented) and (config\$8 adj (information or data	USPAT;	2004/02/13 06:53
]		or manag\$6))) and (classID or (class adj (ID or identifier or identification)))) and ((key adj value) or (key\$8 adj2 pair))) and	US-PGPUB; EPO; JPO;	
		((Rey adj value) or (Rey adj2 pair))) and ((Rey adj value) or (Rey adj2 pair))) and ((707/103\$.ccls.)	DERWENT;	
		(12.1.1.3.04.1.0.1.0.1.1.1.1.4.0.010.)	IBM_TDB	
12	1	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:51
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	==== 32 10 00.01
		identification)))) and ((key adj value) or (key\$8 adj2 pair))	EPO; JPO;	
		same (classID or (class adj (ID or identifier or identification)))	DERWENT;	
1 12	<u> </u>	W-12-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	IBM_TDB	
13	24	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:51
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
]		identification)))) and (key or (key adj value) or (key\$8 adj2 pair)) same (classID or (class adj (ID or identifier or	EPO; JPO;	
1		identification)))	DERWENT;	
·	J	- Additional of the second of	IBM_TDB	

_				
14	5	((((object adj oriented) and (config\$8 adj (information or data or manag\$6))) and (classID or (class adj (ID or identifier or identification)))) and (key or (key adj value) or (key\$8 adj2 pair)) same (classID or (class adj (ID or identifier or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/13 06:54
15	2146	identification)))) and (707/103\$.ccls. or 717/\$.ccls.) (object adj oriented) and (config\$8 adj (data or manag\$6))	IBM_TDB USPAT;	2004/02/13 06:57
			US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
16	230	((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 07:00
17	27	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (707/103\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
18	11	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:55
19	230	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (key or (key adj value) or (key\$8 adj2 pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:55
20	69	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (key or (key adj value) or (key\$8 adj2 pair))) and (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
21	. 11	(((((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (key or (key adj value) or (key\$8 adj2 pair))) and (classID or (class adj (ID or identifier or identification)))) and (707/103\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:55
22	246	((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
23	29	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and class same replac\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
24	24	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:57
25	7	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))) and replac\$8 same config\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 07:00
26	1	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))) and replac\$8 with config\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 07:00

27	11	((((object adj oriented) and (config\$8 adj (data or manag\$6)))	USPAT;	2004/02/13 07:01
		and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj	US-PGPUB;	
		(ID or identifier or identification)))) and ((key adj value) or	EPO; JPO;	
		(key\$8 adj2 pair))	DERWENT:	
			IBM TDB	
28	15	((((object adj oriented) and (config\$8 adj (data or manag\$6)))	USPAT:	2004/02/13 07:01
	1	and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj	US-PGPUB:	
		(ID or identifier or identification)))) and (key or (key adj value)	EPO: JPO:	
		or (key\$8 adj2 pair))	DERWENT:	
			IBM TDB	